

October 2026

Dear Valued Customer

Leimac Ltd.
Sales Department
TEL : +81-77-585-6771
FAX : +81-77-585-6773

Notice of Discontinuation of LED Lighting Products

We would like to inform you that, as part of our efforts to enhance the performance of the infrared LED components used in our products and to optimize the use of our management resources, we have decided to discontinue production of certain products.

We apologize for any inconvenience this may cause and appreciate your understanding.

-Details-

1. List of Discontinued Products and Their Successor products

Discontinued Products				Successor products		
Model	Color	InputVoltage		Model	Color	InputVoltage
IFVA-40□	W(White) B(Blue) G(Green)	DC12V	→	IFVA-40■	DW(White) DB(Blue) DG(Green)	DC12V
IFVA-50□			→	IFVA-50■		
IFVA-70□			→	IFVA-70■		
IFVA-40□HV		DC24V	→	IFVA-40■HV		DC24V
IFVA-50□HV			→	IFVA-50■HV		
IFVA-70□HV			→	IFVA-70■HV		
IFVA-100□HV		DC12V	→	IFVA-100■HV		DC12V
IFVA-40□-ST			→	IFVA-40■-ST		
IFVA-50□-ST			→	IFVA-50■-ST		
IFVA-70□-ST		DC24V	→	IFVA-70■-ST		DC24V
IFVA-40□HV-ST			→	IFVA-40■HV-ST		
IFVA-50□HV-ST			→	IFVA-50■HV-ST		
IFVA-70□HV-ST			→	IFVA-70■HV-ST		

* □ and ■ represent the LED color codes.

This includes custom-made products.

2. End of sales date

April 30, 2027

* The final order deadline may vary depending on sales conditions.

Please contact us to confirm availability.

If you have any questions, please contact our sales representative.





【Power Consumption】

The power consumption of the size 40 white and blue models will change.

Model	Power Consumption(W)			Power Consumption(W)		
	W	B	G	DW	DB	DG
IFVA-40□	10.5	10.5	9	10	10	9
IFVA-50□	14	14	12	14	14	12
IFVA-70□	24	24	18	24	24	18
IFVA-40□HV	10.5	10.5	9	10	10	9
IFVA-50□HV	14	14	12	14	14	12
IFVA-70□HV	24	24	18	24	24	18
IFVA-100□HV	32	32	27	32	32	27
IFVA-40□-ST	10.5	10.5	9	10	10	9
IFVA-50□-ST	14	14	12	14	14	12
IFVA-70□-ST	24	24	18	24	24	18
IFVA-40□HV-ST	10.5	10.5	9	10	10	9
IFVA-50□HV-ST	14	14	12	14	14	12
IFVA-70□HV-ST	24	24	18	24	24	18

【Dimensions Mounting and Weight】

There are no differences between the discontinued models and their successors.

【Brightness】 *LWD=10mm


【Optical Characteristics】

There are no differences between the discontinued models and their successors in light distribution characteristics or in the distribution and uniformity of illumination on the illuminated surface.

【Spectral Characteristics】

